

Blue Magic

SECTION 1. IDENTIFICATION

Product Identifier Blue Magic
Recommended Use Cleaner.
Manufacturer W.E. Greer Ltd., 14704 - 119 Avenue, Edmonton, AB, T5L 2P1, 780-451-1516,
www.wegreer.com
Emergency Phone No. CANUTEC, 1-888-226-8832, You can call *666 on your cellular phone

SECTION 2. HAZARD IDENTIFICATION

Classification

Acute toxicity (Inhalation) - Category 4; Skin corrosion - Category 1; Serious eye damage - Category 1; Specific target organ toxicity (single exposure) - Category 3

Label Elements



Signal Word:
Danger

Hazard Statement(s):

Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Precautionary Statement(s):

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
Call a POISON CENTRE or doctor if you feel unwell.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTRE or doctor if you feel unwell.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTRE or doctor.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Disposal:
Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no hazardous ingredients. Mixture:

Chemical Name	CAS No.	%	Other Identifiers
2-Butoxyethanol	111-76-2	4.5 - 5	
Sodium Metasilicate	6834-92-0	2.7 - 5.4	
Polyethylene glycol monoundecyl ether, liquids	34398-01-1	1.4 - 1.7	
proprietary 29 CFR1910 US Patent # 4264479	CBI*	1.1 - 1.5	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Call a Poison Centre or doctor if you feel unwell.

Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately call a Poison Centre or doctor.

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Ingestion

Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Immediately call a Poison Centre or doctor.

Immediate Medical Attention and Special Treatment

Special Instructions

Treat patient symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Specific Hazards Arising from the Product

May include but is not limited to: very toxic carbon monoxide, carbon dioxide; corrosive sulfur oxides.

Special Protective Equipment and Precautions for Fire-fighters

Chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling concentrated product: do not get in eyes, on skin or on clothing. Avoid breathing in this product. Only use where there is adequate ventilation. Wash hands thoroughly after handling this material.

Conditions for Safe Storage

Separate from incompatible materials (see Section 10: Stability and Reactivity). Keep out of reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Polyethylene glycol monoundecyl ether, liquids	Not established		Not established			
Sodium Metasilicate	Not established		Not established			
2-Butoxyethanol	20 ppm A3		25 ppm			

Appropriate Engineering Controls

General ventilation is usually adequate.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Where exposure guidelines may be exceeded: wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear blue liquid.
Odour	Alcoholic
pH	12.4 - 12.8
Relative Density (water = 1)	1.047 - 1.070
Solubility	Soluble in all proportions in water
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Reacts vigorously with acids.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Incompatible materials.

Incompatible Materials

Organic acids (e.g. acetic acid), inorganic acids (e.g. hydrofluoric acid), strong acids (e.g. hydrochloric acid).

Hazardous Decomposition Products

May include but not limited to: very toxic carbon monoxide, carbon dioxide; corrosive sulfur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; skin absorption; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium Metasilicate		600 mg/kg (rat)	
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)		

Skin Corrosion/Irritation

Contact can cause pain, redness, burns, and blistering. Permanent scarring can result.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful At high concentrations nose and throat irritation, depression of the central nervous system. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Skin Absorption

May be absorbed through the skin.

Ingestion

Harmful based on information for closely related materials.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

IARC: Group 3 – Not classifiable as to its carcinogenicity to humans. ACGIH®: A3 – Confirmed animal carcinogen. (2-Butoxyethanol)

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	Corrosive Liquid, Basic, Inorganic (Sodium Metasilicate)	8	III

Special Precautions Not applicable

Product Identifier: Blue Magic

Date of Preparation: January 10, 2017

Page 04 of 05

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Listed on the DSL.

CEPA - National Pollutant Release Inventory (NPRI)

Part 1A, Part 5. (2-Butoxyethanol)

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 3	Flammability - 0	Instability - 0
SDS Prepared By	W.E. Greer Ltd.		
Phone No.	780-451-1516		
Date of Preparation	January 10, 2017		
Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.		

Blue Magic



Signal Word:
Danger

Hazard Statement(s):
Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Precautionary Statement(s):

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
Call a POISON CENTRE or doctor if you feel unwell.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTRE or doctor if you feel unwell.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTRE or doctor.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

W.E. Greer Ltd.

14704 - 119 Avenue, Edmonton, AB, T5L 2P1, www.wegreer.com

780-451-1516