

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Date of Safety Data Sheet: Use of Preparation:	Vestec 882 February 18, 2017 Laundry Detergent.
Company Identification:	Parkside Professional Products Ltd. 4777 Kent Avenue Niagara Falls, Ontario L2H 1J5 OFFICE: 905-358-8364
Company Emergency Telephone Number	Emergency Phone: 905-358-8364
Transportation Emergency Telephone Number	CANUTEC 613-996-6666 or * 666 for cell phone

2. HAZARD IDENTIFICATION

Emergency Overview: OSHA / WHMIS 2015 Hazards Classification of substance or mixture GHS-US/Canadian classification: GHS Hazards Corrosive to Metal Category 1 H290 Skin Corrosive Category 1 H314 Eye Damage Category 1 H318 Label Elements GHS-US/ Canada Labeling Hazard Pictograms (GHS):



Signal Word (GHS): Danger Hazard Statements (GHS): H290 – May be corrosive to metals. H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage Precautionary Statements (GHS): P260: Do not breathe mist, spray, and vapours. P280: Wear face protection, protective clothing, protective gloves, and eye protection.



Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician.

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Sodium Hydroxide	1310-73-2	1-5	Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion/Irritation Category 1A - H314 Serious Eye Damage/Eye Irritation Category 1 - H318 Aquatic Hazard (Acute) Category 3 – H402
Sodium salt of dodecylbenzene sulphonic acid	27176-87-0	15-35	Skin Corrosion/Irritation Category 2 - H315 Serious Eye Damage/Eye Irritation Category 1 - H318
Alcohol ethoxylate	68002-97-1	3-7	Skin Corrosion/Irritation Category 3– H316 Serious Eye Damage/Eye Irritation Category 2B – H320
2-(2-Butoxyethoxy) ethanol	112-34-5	1-5	Acute Toxicity Category 5 (Oral) - H303 Serious Eye Damage/Eye Irritation Category 2B– H320 STOT Repeated Exposure Category 2 – H373

4. FIRST AID MEASURES	
Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. If irritation persists, get medical attention.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.



Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.
Notes to Physician:	Treatment based on judgment of attending physician.
5. FIRE FIGHTING MEASURES	
Suitable extinguishing media:	Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant foam
Unsuitable extinguishing media:	None known.
Special exposure hazards	Thermal decomposition releases irritating gases.
Special safety equipment: Fire and explosion Further information	Self-contained positive pressure breathing apparatus and protective clothing. Not flammable. Not an explosive hazard. Keep containers and surrounding cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist. For Non-Emergency Personnel Protective Equipment: Use appropriate personal protection equipment (PPE). Emergency Procedures: Evacuate unnecessary personnel. For Emergency Personnel Protective Equipment: Equip cleanup crew with proper protection. Emergency Procedures: Ventilate area. Environmental Precautions Prevent entry to sewers and public waters. Methods and Material for Containment and Cleaning Up For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely. Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.



Conditions for safe storage, including any incompatibilities: Storage: Acids, Oxidizers, reducing agents. Requirements to be met by storerooms and receptacles: Store in a cool location. Protect from humidity and water. Unsuitable material for receptacle: steel. Unsuitable material for receptacle: aluminium. Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility: Do not store together with strong acids. Store away from oxidizing agents. Store away from foodstuffs. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well-ventilated area. Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection:	Use local exhaust or dilution ventilation.
Hand protection:	Chemical resistant gloves.
Eye protection:	Safety goggles or full face shield.
Skin protection:	Use body-covering impervious clothing.
Working hygiene:	Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure Guidelines:

Sodium Hydroxide: ACGIH Ceiling 2 mg/m³ OSHA PEL (TWA) 2 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Date: February 18, 2017

Liquid Clear. Blue. <u>Values</u>

Odour Odour Threshold <u>Remarks/Method</u> Typical No data available.

pH Melting/Freezing Point 13.0 ± 0.5 No data available None known None known

SDS: Parkside Professional Products Ltd Vestec 882

SAFETY DATA SHEET



Vestec 882 – Heavy Duty Laundry Detergent

Boiling Point/Range	No data available	None known
Flash Point	Not applicable.	None known
Evaporation Rate	Similar	None known
Flammability (solid, gas)	Not flammable	None known
Flammability Limit in Air:		
Upper Limit	No data available	None known
Lower Limit	No data available	None known
Vapour Pressure	No data available	None known
Vapour density	No data available	None known
Specific Gravity	1.125 -1.135 g/cm3	
Water Solubility	Soluble in water.	None known
Solubility Other Solvents	No data available	None known
Partition Coefficient:		
n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition	No data available	None known
Temperature		
Kinematic Viscosity	No data available	None known
Dynamic Viscosity	No data available	None known
Explosive Properties	No data available	None known
Oxidizing Properties	No date available	None known
Other Properties:		
Softening Point	No data available	
VOC Content %	No data available	
Particle Size	No data available	
Particle Size Distribution	No data available	

10. STABILITY AND REACTIVITY Reactivity Chemical stability Thermal decomposition/conditions to purcidi. Stable under normal conditions. Stable under recommended handling and storage conditions (see section 7). No decomposition if used and stored according to specifications.	
Chemical stability Stable under recommended handling and storage conditions (see section 7). Thermal decomposition/conditions to No decomposition if used and stored according to specifications	
Chemical stability section 7). Thermal decomposition/conditions to No decomposition if used and stored according to specifications	
avoid:	
Possibility of hazardous reactions Hazardous polymerization will not occur.	
Conditions to avoid Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.	
Hazardous decomposition products Carbon oxides (CO, CO2). Sodium oxides.	
Materials to avoidMetals such as aluminum. Reducing agents. Strong acids.Hazardous polymerizationWill not occur	



11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Harmful if swallowed. LD/LC50 values relevant for classification: Sodium Hydroxide CAS# 1310-73-2: LD50 (Oral, rat): 500 mg/kg On the skin: Causes severe skin irritation and eye damage. (PH: 13.0). On the eye: Causes serious eye damage. (PH: 13.0) Respiratory or Skin Sensitization: Not classified. Additional toxicological information: Carcinogenicity: Chemical Name IARC None NTP None

12. ECOLOGICAL INFORMATION

Toxicity:	Not classified
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	None known.
Other Information:	All of the organic components of this product are readily biodegradable.

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 1 litres can be shipped Limited Quantity) Proper Shipping Name: Caustic Alkali liquid, N.O.S. Contains: Sodium Hydroxide Hazard Class: 8 ID Number: UN 1719 Packing Group: II





US DOT: Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S. Contains: Sodium Hydroxide Hazard Class: 8 ID Number: UN 1719 Packing Group: II



Water Transportation (IMDG): Regulated Material Proper Shipping Name: Caustic alkali liquid, N.O.S. Contains: Sodium Hydroxide Hazard Class: 8 ID Number: UN 1719 Packing Group: II



Air Transportation (IATA): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S. Contains: Sodium Hydroxide Hazard Class: 8 ID Number: UN 1719





15. REGULATORY INFORMATION

Occupational Health & Safety Regulations: WHMIS Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	Complies
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals. NTA in this product is labeling exempt NSRL or no significant risk level.



HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Parkside Professional Products Ltd. 4777 Kent Avenue Niagara Falls, Ontario L2H 1J5 905-358-8364

Issuing Date: February 18, 2017

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet