



## Vestec 685 – High Foam Oven Cleaner

### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Vestec 685  
 Date of Safety Data Sheet: March 17, 2017  
 Use of Preparation: Foaming Oven & Grill Cleaner  
 Company Identification: Parkside Professional Products Ltd.  
 4777 Kent Avenue  
 Niagara Falls, Ontario L2H 1J5  
 OFFICE: 905-358-8364

Company Emergency Telephone Number      Emergency Phone: 905-358-8364  
 Transportation Emergency Telephone Number      CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

Emergency Overview:  
 OSHA / WHMIS 2015 Hazards  
 Classification of substance or mixture  
 GHS-US/Canadian classification:  
 GHS Hazards  
 Corrosive to Metals Category 1 H290  
 Skin Corrosive Category 1A H314  
 Eye Damage Category 1 H318  
 Label Elements  
 GHS-US/ Canada Labeling  
 Hazard Pictograms (GHS):



Signal Word (GHS): Danger  
 Hazard Statements (GHS):  
 H290 – May be corrosive to metals.  
 H302 - Harmful if swallowed  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage



## Vestec 685 – High Foam Oven Cleaner

### Precautionary Statements (GHS):

P102: Keep out of reach of children.

P260: Do not breathe mist, spray, and vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

### Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Tetrasodium EDTA	64-02-8	1-5	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage/Irritation Category 2A – H319 Skin Irritant Category 2 – H315
Sodium Hydroxide	1310-73-2	7.5-15	Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion/Irritation Category 1A - H314 Serious Eye Damage/Eye Irritation Category 1 - H318 Aquatic Hazard (Acute) Category 3 – H402
Dipropylene Glycol Monoethyl Ether	34590-94-8	1-5	Acute Toxicity Category 5 (Oral) - H303 Serious Eye Damage/Eye Irritation Category 2B– H320 STOT Repeated Exposure Category 2 – H373

### 4. FIRST AID MEASURES

#### Eye Contact:

Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. If irritation persists, get medical attention.



## Vestec 685 – High Foam Oven Cleaner

Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.
Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Notes to Physician:	Treatment based on judgment of attending physician.

### 5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Flood with water for extinguishing agent. CO <sub>2</sub> , dry chemical, alcohol resistant foam
Unsuitable extinguishing media:	None known.
Special exposure hazards	Thermal decomposition releases irritating gases.
Special safety equipment:	Self-contained positive pressure breathing apparatus and protective clothing.
Fire and explosion	Not flammable. Not an explosive hazard.
Further information	Keep containers and surrounding cool with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately with absorbent and dispose of waste safely.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.



## Vestec 685 – High Foam Oven Cleaner

### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

### Conditions for safe storage, including any incompatibilities:

**Storage:** Acids, oxidizers, reducing agents.

### **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

### **Information about storage in one common storage facility:**

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

### **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Respiratory protection:</b>	Use local exhaust or dilution ventilation.
<b>Hand protection:</b>	Chemical resistant gloves.
<b>Eye protection:</b>	Safety goggles or full face shield.
<b>Skin protection:</b>	Use body-covering impervious clothing.
<b>Working hygiene:</b>	Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.
<b>Exposure Guidelines:</b>	

**Sodium Hydroxide:** ACGIH Ceiling 2 mg/m<sup>3</sup>  
OSHA PEL (TWA) 2 mg/m<sup>3</sup>

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

**Physical State**  
**Appearance**  
**Colour**

Liquid  
Clear  
Clear to brown.

**Odour**  
**Odour Threshold**

Mild  
No data available.

Date: March 17, 2017

SDS Parkside Professional Products Ltd Vestec 685



## Vestec 685 – High Foam Oven Cleaner

<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>
pH 1 %	12.5-13.50	None known
Melting/Freezing Point	No data available	None known
Boiling Point/Range	No data available	None known
Flash Point	Not applicable.	None known
Evaporation Rate	Similar	None known
Flammability (solid, gas)	Not flammable	None known
Flammability Limit in Air:		
Upper Limit	No data available	None known
Lower Limit	No data available	None known
Vapour Pressure	No data available	None known
Vapour density	No data available	None known
Bulk Density	1.04-1.06 g/cm <sup>3</sup>	
Water Solubility	Soluble in water.	None known
Solubility Other Solvents	No data available	None known
Partition Coefficient:		
n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition Temperature	No data available	None known
Kinematic Viscosity	No data available	None known
Dynamic Viscosity	No data available	None known
Explosive Properties	No data available	None known
Oxidizing Properties	No data available	None known
<u>Other Properties:</u>		
Softening Point	No data available	
VOC Content %	No data available	
Particle Size	No data available	
Particle Size Distribution	No data available	

### 10. STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	Stable under recommended handling and storage conditions (see section 7).
Thermal decomposition/conditions to avoid:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.
Hazardous decomposition products	Carbon oxides (CO, CO <sub>2</sub> ). Sodium oxides.
Materials to avoid	Metals such as aluminum. Reducing agents, oxidizing agent. Strong acids.
Hazardous polymerization	Will not occur



## Vestec 685 – High Foam Oven Cleaner

### 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Sodium Hydroxide CAS# 1310-73-2:

LD50 (Oral, rat): 500 mg/kg

**On the skin:** Causes severe skin irritation and eye damage. (PH: 13.5).

**On the eye:** Causes serious eye damage. (PH: 13.5)

**Respiratory or Skin Sensitization:** Not classified.

**Additional toxicological information:**

**Carcinogenicity:**

Chemical Name None

### 12. ECOLOGICAL INFORMATION

**Toxicity:** Not classified

**Persistence and Degradability:** Not available

**Bioaccumulative Potential:** Not available

**Mobility in Soil:** Not available.

**Other Adverse Effects**

**Other Information:** All of the organic components of this product are readily biodegradable.

### 13. DISPOSAL

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.



## Vestec 685 – High Foam Oven Cleaner

### 14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 1litres can be shipped Limited Quantity)  
Proper Shipping Name: : CORROSIVE LIQUID, BASIC, INORGANIC,N.O.S., (Sodium Hydroxide)  
Contains: Sodium Hydroxide.  
Hazard Class: 8  
ID Number: UN 3266  
Packing Group: II



### US DOT: Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC,N.O.S., (Sodium Hydroxide)  
Contains: Sodium Hydroxide.  
Hazard Class: 8  
ID Number: UN 3266  
Packing Group: II



### Water Transportation (IMDG): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC,N.O.S., (Sodium Hydroxide)

Contains: Sodium Hydroxide.  
Hazard Class: 8  
ID Number: UN 3266  
Packing Group: II





## Vestec 685 – High Foam Oven Cleaner

Air Transportation (IATA): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (Sodium Hydroxide)

Contains: Sodium Hydroxide.

Hazard Class: 8

ID Number: UN 3266

Packing Group: II



### 15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	-
AICS	Complies

#### Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

Date: March 17, 2017

SDS Parkside Professional Products Ltd Vestec 685





## Vestec 685 – High Foam Oven Cleaner

IECSC - China Inventory of Existing Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
AICS - Australian Inventory of Chemical Substances

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

## 16. OTHER INFORMATION

**Prepared By:** Parkside Professional Products Ltd.  
4777 Kent Avenue  
Niagara Falls, Ontario  
L2H 1J5  
905-358-8364

**Issuing Date:** March 17, 2017

#### **Disclaimer:**

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**